

NIST PUBLICATIONS



NBS Standard
Reference Materials
March 1984 Price List

260)



Office of Standard Reference Materials
U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards
Washington, DC 20234

Telephone: 301-921-2045

ORDERING PROCEDURE

Orders should be addressed to the Office of Standard Reference Materals, Room B311, Chemistry Building, National Bureau of Standards, Washington, D.C., 20234 (Telephone 301-921-2045). Orders should give the number of units, catalog number, and name of the standard requested. These materials are distributed only in the units listed. Acceptance of an order does not imply acceptance of any provision set forth in the order contrary to the policy, or regulations of the National Bureau of Standards or the the US Government.

Prices listed herein are subject to change without notice. Prices in effect at time of shipment will be billed to the purchaser. no discounts are given on NBS Standard Reference Materials. Payments not accompanying purchase orders are expected within 30 days after receipt of invoices.

Payment of foreign orders may be made by any of the following:

- a) UNESCO coupons,
- b) banker's draft against U.S.A. bank,
- c) bank to bank transfer to U.S.A. bank,
- d) cash against documents,
- e) sight draft, or
- f) by International Money Order.

Proforma invoice service requires 3 to 4 weeks to process, and is furnished only to those customers requiring such service.

DOMESTIC SHIPMENTS of material (except for restricted categories) for the United States and Canada are shipped prepaid if the parcel does not exceed weight limitations. For restricted categories and where the purchaser requests a special mode of shipment, the shipment will be sent collect. The Bureau does not prepay and add these shipping charges to the billing invoice.

FOREIGN SHIPMENTS of materials are shipped by prepaid International Air Parcel Post, subject to size, weight, and category of material limitations. Any other mode of shipment requested by a customer must be paid for by the customer. Shipments excluded from International Air Parcel Post are shipped Air Freight Collect. Certain materials must be handled through an agent (shipping or brokerage firm) located in the U.S. as designated by the purchaser. These parcels will be packed for overseas shipment and forwarded express collect to the US firm designated as agent.

NOTE: All shipments are made in compliance with existing regulations pertaining to the material at time of shipment.

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
1(C) 3(D) 4(K) 5(L)	LIMESTONE, ARGILLACEOUS WHITE IRON CAST IRON CAST IRON CAST IRON		
7(G)	CAST IRON, HI-PHOS CARBON STL, BESS 0.1C CARBON STL, BOH 0.2C CARBON STL, BOH 0.4C CARBON STL, BOH 0.6C	150 G	\$ 67
8(J)		150 G	\$ 63
11(H)		150 G	\$ 67
12(H)		150 G	\$ 67
13(G)		150 G	\$ 67
14(F)	CARBON STL, BOH 0.80	40 G	\$ 66
15(G)	CARBON STL, BOH 0.10		\$ 67
14(E)	CARBON STL, BOH 1.00		\$ 67
17(C)	SUCROSE POLARIMETRIC		\$ 117
19(G)	CARBON STL, AOH 0.20		\$ 67
20(G)	CARBON STL, AISI 1045	150 G	\$ 65
25(D)	MANGANESE ORE	100 G	\$ *
27(F)	IRON ORE, SIBLEY (POWDER)	80 G	\$ 86
30(F)	LA STL, CR-V SAE 6150	150 G	\$ 67
32(E)	LA STL, NI-CR SAE 3140	150 G	\$ 67
37(E) 39(I)	LA STL, NI-MO SAE 4820 LA STL, CR2-MO1 BRASS, SHEET BENZOIC ACID COMBUSTION SODIUM OXALATE-REDOX	150 G 30 G	\$ 4 \$ 67 \$ 67 \$ 65 \$ 86
41(B)	DEXTROSE POLARIMETRIC	70 G	\$ 58
42(G)	TIN FREEZING POINT	350 G	\$ 91
43(H)	ZINC FREEZING POINT	350 G	\$ 78
44(F)	AL FREEZING POINT	200 G	\$ 109
45(D)	CU FREEZING POINT	450 G	\$ 78
49(E)	LEAD FREEZING POINT	600 G	\$ 78
50(C)	TOOL STL, W18-CR4-V1	150 G	\$ 67
53(E)	BEARING METAL, LEAD-BASE	150 G	\$ 67
54(D)	BEARING METAL, TIN-BASE	170 G	\$ 67
57(A)	SILICON METAL	60 G	\$ 73
58(A)	FERROSILICON (75%) FERROSILICON (50%) FERROCHROMIUM, HI CARBON FERROMANGANESE, HI CARBON BAUXITE (ARKANSAS)	50 G	\$ 66
59(A)		50 G	\$ 77
64(C)		100 G	\$ 69
68(C)		150 G	\$ 91
69(B)		60 G	\$ 80

^{*} MATERIAL IN PREPARATION

	SRM DESCRIPTION		
70(A) 71 72(G) 73(C)	FELDSPAR, POTASH CALCIUM MOLYBDATE	40 G 40 G 150 G 150 G	\$ 65 \$ 61 \$ 74 \$ 67 \$ 84
79(A) 81A	BURNT REFRACT, AL203-60% BURNT REFRACT, AL203-70% FLUORSPAR, CUSTOMS GRADE GLASS SAND HIGH IRON ALLOY CAST IRON, NI-CR	75 G 120 G 75 G	
84(J) 85(B)	ARSENIC TRIOXIDE ACID POTASSIUM PHTHALATE ALUMINUM ALLOY, WROUGHT ALUMINUM—SILICON ALLOY LIMESTONE, DOLOMITE	40 G	\$ 86 \$ 81 \$ 67 \$ 67 \$ 65
90 91 92	LEAD BARIUM GLASS COMP FERROPHOSPHOROUS OPAL GLASS COMP LOW BORON GLASS COMP BOROSILICATE GLASS COMP	75 G 45 G 45 G	\$ 58 \$ 61 \$ 58 \$ 58 \$ 74
97(A) 98(A) 99(A)	ZN-BASE DIE-CASTING ALLOY CLAY, FLINT CLAY, PLASTIC FELDSPAR, SODA LA STL, MN-2, SAE T1340	60 G 60 G 40 G	\$ 45 \$ 139 \$ 139 \$ 45 \$ 47
103(A) 105	SS: CR18-NI-10, AISI 3041 CHROME REFRACTORY LA STL, HIGH S, C ONLY LA STL, CR-MO-AL ALLOY CAST IRON, NI-CR-MO	60 G 150 G 150 G	\$ 67 \$ 74 \$ 55 \$ 67 \$ 67
107(C) 113(A) 114(N) 115(A) 120(B)	ALLOY CAST IRON, NI-CR-MO ZINC ORE, TRI-STATE CONC CEMENT FINENESS ALLOY CAST IRON, CU-NI-CR PHOSPHATE ROCK (POWDER)	100 G 20X10 G	\$ 92 \$ 56 \$ 83 \$ 67 \$ 78
121(D) 122(H) 123(C) 125(B) 126(C)	SS: TI-0.3, SAE 321 CAST IRON CAR WHEEL SS: NB-0.7, SAE 347 LA STL, SI 3 HA STL, NI36	150 G 150 G 150 G 150 G 150 G	\$ 63 \$ 79 \$ 63 \$ 74 \$ 62

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
127(B) 129(C) 131(C) 132(B) 133(B)	SOLDER, SN40-PB60 STL RESUL S-0.2, SAE 1112 LA STL, SI (C & S ONLY) TOOL STL, MO5-W6-CR4-V2 SS: CR-13 MO-0.3 S-0.3	100 G 150 G	\$ 69 \$ 62
134(A)	TOOL STL, MOS-W2-CR4-V1	150 G	\$ 67
136(D)	POTASSIUM DICHROMATE	60 G	\$ 86
139(B)	LA STL CR-NI-MO AISI 8640	150 G	\$ 64
141(C)	ACETANILIDE MICRO	2 G	\$ 57
142	ANISIC ACID MICRO	2 G	\$ 56
143(C)	CYSTINE MICRO NICOTINIC ACID MICRO STL BOH, C-0.5 SN-0.03 TOOLSTL CO8-M09-W2-CR4-V2 TITANIUM DIOXIDE	2 G	\$ 57
148		2 G	\$ 53
152(A)		150 G	\$ 47
153(A)		150 G	\$ 47
154(B)		90 G	\$ 83
163	LA STL, CR-0.5 W-0.5	150 G	\$ 67
	BRONZE, SILICON	150 G	\$ 67
	SS: AISI 316	150 G	\$ 67
	LA STL, C-0.9 CR-1.0	100 G	\$ 77
	GLASS SAND	75 G	\$ 62
171 173(A) 176	SS: AISI 316L C ONLY MAGNESIUM-BASE ALLOY TI-BASE ALLOY 6AL-4V TI-BASE ALLOY 5AL-2.5SN CARBON STL BOF 0.4C	100 G 100 G 100 G	\$ 47 \$ *
179	LA STL, HIGH SI	150 G	\$ 48
180	FLUORSPAR, HIGH-GRADE	120 G	\$ 74
181	LITHIUM ORE (SPODUMENE)	45 G	\$ 58
182	LITHIUM ORE (PETALITE)	45 G	\$ 58
183	LITHIUM ORE (LEPIDOLITE)	45 G	\$ 58
186I(C)	POT HYDROGEN PHTHALATE PH	60 G	\$ *
	POT DIHYDRO PHOSPHATE PH	30 G	\$ 74
	DISOD HYDRO PHOSPHATE PH	25 G	\$ 74
	BORAX PH	30 G	\$ 60
	POT HYDROGEN TARTRATE PH	60 G	\$ 62
189	POT TETROXALATE PH	65 G	\$ 42
191(A)	SODIUM BICARBONATE PH	25 G	\$ 75
192(A)	SODIUM CARBONATE PH	30 G	\$ 75
193	POTASSIUM NITRATE	90 G	\$ 77
194	AMMONIUM DIHY PHOSPHATE	90 G	\$ 77

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
195 196 198	FERROSILICON 75% PURE GRD FERROCHROMIUM, LOW C SILICA REFR (0.2% AL2 03) SILICA REFR (0.5% AL2 03) POTASSIUM DI-HY PHOSPHATE	75 G 100 G 45 G	
217(C) 276(A) 277	TOLUENE COMBUSTION ISOOCTANE COMBUSTION TUNGSTEN CARBIDE TUNGSTEN CONCENTRATE OBSIDIAN ROCK	75 G 100 G 35 G	\$ * \$ * \$ 84 \$ 111 \$ 131
329 330	LA STL, ASTM A-213 LA STL, AISI 8620 ZINC CONC. ZN-45% COPPER ORE MILL HEADS COPPER ORE MILL TAILS	100 G 100 G	\$ 56 \$ 79
333 334 335	COPPER CONCENTRATE MOLYBDENUM CONCENTRATE GRAY CAST IRON C&S CARBON STL, 0.10 (C ONLY) CARBON STL, 1.10 (C ONLY)	35 G 150 G 300 G	\$ 79 \$ 66 \$ 61
339 340 341	DUCTILE IRON	150 G 150 G 100 G 150 G 150 G	\$ 76 \$ 84 \$ 75
345 348 349	HA STL, MO PPH HARDNESS HA STL, CU PPH HARDNESS HI TEMP ALLOY, A286 HI TEMP, NI57-C014-CR20 BENZOIC ACID	150 G 150 G	\$ 71 \$ 67
355 357 358	UNALLOYED TI, HYDROGEN UNALLOYED TI FOR OXYGEN UNALLOYED ZR, GASOMETRIC UNALLOYED ZR, GASOMETRIC ZIRCALOY 2, ZR-BASE ALLOY	ROD 10 G WIRE 10 G WIRE	
361 362 363 364 365	LA STL, AISI 4340 LA STL, AISI 94B17 LA STL, CR-V LA STL, HI C MOD ELECTROLYTIC IRON	150 G 150 G 150 G 150 G 150 G	\$ 65 \$ 65 \$ 65 \$ 65 \$ 65

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	
368 370(E)	SS: AISI 446 STL REPHOS-RES, AISI 1211 ZINC OXIDE RUBBER COMP SULFUR RUBBER COMP STEARIC ACID RUBBER COMP	150 G 150 G 8 KG 6 KG	\$ 68 \$ 60 \$ 91 \$ 72
	OIL FURNACE BLACK	28 KG 32 KG 3.2 KG	\$ 133 \$ 120 \$ 113
388(L) 393 394	STYRENE BUTADIENE RUBBER BUTYL RUBBER UNALLOYED CU (CU 0) UNALLOYED CU (CU I) UNALLOYED CU (CU II)	34 KG 50 G 50 G	\$ 237 \$ 122 \$ 122
398 399 400	UNALLOYED CU (CU III) UNALLOYED CU (CU V) UNALLOYED CU (CU VI) UNALLOYED CU (CU VII) STL BASIC ELECTRIC	50 G 50 G 50 G	\$ 122 \$ 122 \$ 122
407(A) 408(A) 409(B)	LA STL, CR-NI LA STL, NI S	ROD ROD ROD ROD ROD	\$ 62 \$ 62 \$ 62
417(A) 418(A)	LA STL, CR-MO CARBON STL, BOH 0.4C LA STL, CR-MO, SAE 4130 INGOT IRON LA STL, SAE 4150 (B ONLY)	ROD ROD ROD	\$ 62 \$ 62
436 437 438 439 440	TOOL STL, CR6-MO3-W10 TOOL STL, CR8-MO2-W3-CO3 TOOL STL MO HSPD AISI M30 TOOL STL MO HSPD AISI M36 TOOL STL, CR2-W13-CO12	ROD	\$ 70 \$ 70 \$ 70 \$ 70 \$ 70
441 442 443 444 445	TOOL STL, W HSPD, AISI T1 SS: CR-16 NI-10 SS: CR-18.5 NI-9.5 SS: CR-20.5 NI-10 SS: AISI 410	ROD ROD ROD ROD ROD	\$ 70 \$ 70 \$ 70 \$ 70 \$ 70

SEM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
447 448 449	SS: AISI 321 SS: AISI 309 SS: AISI 403 SS: CR-5.5 NI-6.5 SS: CR-3 NI-25	ROD ROD ROD ROD ROD	\$ 70 \$ 70 \$ 70 \$ 70 \$ 70
457 461	UNALLOYED CU (CU XI) UNALLOYED CU (CU IV) LA STL, A LA STL, B LA STL, D	35 G ROD ROD ROD ROD	\$ 121 \$ 122 \$ 70 \$ 70 \$ 70
465 466 467 468 470		ROD ROD ROD ROD 2 RODS	\$ 70 \$ 70 \$ 70 \$ 70 \$ 248
475 477 478	AR CR OPTICAL LINEWIDTH AR CR OPTICAL LINEWIDTH GLASS FLUORESCENCE SOURCE CARTRIDGE BRASS EPMA STAINLESS STEEL EPMA	EA	
480 481 482 483 484(C)	TUNGSTEN-MOLYBDENUM EPMA GOLD-SILVER EPMA GOLD-COPPER EPMA IRON-SILICON EPMA SEM MAGNIFICATION	1 MM DISK SET (6) SET (6) 3 MM SQ EA	\$ 209 \$ 209
486 487	5% AUSTENITE IN FERRITE 15% AUSTENITE IN FERRITE 30% AUSTENITE IN FERRITE 2% AUSTENITE IN FERRITE IRON CARBIDE IN FERRITE	2 CM DISK 1 DISK	\$ 290 \$ 301 \$ 290 \$ 283 \$ 133
494 495 496 498 499	UNALLOYED CU (CU I) UNALLOYED CU (CU II) UNALLOYED CU (CU III) UNALLOYED CU (CU V) UNALLOYED CU (CU VI)	ROD ROD ROD ROD ROD	\$ 79 \$ 79 \$ 79 \$ 79 \$ 7 9
500 607 610 611 612	UNALLOYED CU (CU VII) POTASSIUM FELDSPAR GLASS, TRACE ELEMENTS GLASS, TRACE ELEMENTS GLASS, TRACE ELEMENTS	ROD 5 G 6 WAFERS 6 WAFERS 6 WAFERS	\$ 79 \$ 66 \$ 100 \$ 100 \$ 100

^{*} MATERIAL IN PREPARATION

	SRM DESCRIPTION	UNIT OF ISSUE	
613 614 615 616	GLASS, TRACE ELEMENTS	6 WAFERS 6 WAFERS 6 WAFERS 6 WAFERS	\$ 100 \$ 100 \$ 100 \$ 100
622 623	SODA LIME FLAT GLASS COMP CONTAINER GLASS COMP CONTAINER GLASS LEACHING CONTAINER GLASS LEACHING GLASS ELECTRICAL RESIST	SET (3) 2.2 KG 2.2 KG	\$ 86 \$ 104 \$ 104
527 528		BLOCK BLOCK BLOCK BLOCK	\$ 84 \$ 92
633 634	ZINC-BASE F ZINC SPELTER (MOD) PORTLAND CEMENT, RED PORTLAND CEMENT, GOLD PORTLAND CEMENT, BLUE	3X5 G 3X5 G	\$ 92 \$ 83 \$ 45 \$ 45 \$ 65
637 638 639	PORTLAND CEMENT, YELLOW PORTLAND CEMENT, PINK PORTLAND CEMENT, GREEN PORTLAND CEMENT, CLEAR SILICON X-RAY DIFFRACTION	3X5 G 3X5 G 3X5 G	
642 643	TI-BASE ALLOY, SMN (A) TI-BASE ALLOY, SMN (B) TI-BASE ALLOY, SMN (C) TI-BASE 2CR-2FE-2MO (A) TI-BASE 2CR-2FE-2MO (B)	DISK DISK DISK	\$ 92
646 654A 8668 671 672	TI-BASE 2CR-2FE-2MO (C) TITANIUM ALLOY 6AL-4V STL SET (661-665) NICKEL OXIDE 1 NICKEL OXIDE 2	DISK DISK 5 PINS 25 G 25 G	\$ 92 \$ 68 \$ 120 \$ 70 \$ 70
675 680L1(A)	NICKEL OXIDE 3 INTENSITY XRD SET MICA X-RAY DIFFRACTION HI PURITY PLATINUM 10 CM HI PURTIY PLATINUM 1 M		\$ 70 \$ 132 \$ 105 \$ 66 \$ 305

	SRM DESCRIPTION		
681L1 681L2 682 683	DOPED PLATINUM 10 CM DOPED PLATINUM 1 M ZINC, HIGH-PURITY	10 CM 1 M 130 G 130 G	\$ 77 \$ 298
488 489	FE CR SI		\$ 120 \$ 131 \$ 75 \$ 86 \$ 137
696 697		150 G 60 G	\$ 86 \$ 86 \$ 80 \$ 80 \$ 80
705	ALUMINA, REDUCTION GRADE PAPER, LIGHT-SENSITIVE POLYSTYRENE 179K MOL WT POLYSTYRENE 258K MOL WT GLASS STRESS OPTICAL COEF	5 G 18 G	\$ 80 \$ 55 \$ 124 \$ 49 \$ 109
709 710 711 712 713	GLASS STRESS OPTICAL COEF SODA LIME GLASS VISCOSITY LEAD GLASS VISCOSITY LEAD GLASS ANNEAL PT BARIUM GLASS ANNEAL PT	900 G 1.3 KG 225 G	\$ 103 \$ 95 \$ 129 \$ 74 \$ 74
716	ALUMINA GLASS ANNEAL PT ALUMINA GLASS ANNEAL PT NEUTRAL GLASS ANNEAL PT HI BORON GLASS VISCOSITY ALUMINA ELASTICITY	250 G	\$ 74 \$ 74 \$ 74 \$ 119 \$ 263
720 723(A) 724(A) 726 728	SAPPHIRE HEAT CAPACITY TRIS BASIMETRIC TRIS HEAT OF SOLUTION SELENIUM, INTER-PURITY ZINC-INTERMEDIATE PURITY	15 G 50 G 50 G 450 G 450 G	\$ 95 \$ 109 \$ 77 \$ 84 \$ *
731L1 731L2 731L3 733 736	BOROSILICATE GLASS TH EXP BOROSILICATE GLASS TH EXP BOROSILICATE GLASS TH EXP AG-AU THERMOCOUPLE WIRE COPPER TH EXP	4 IN	\$ 106 \$ 163 \$ 220 \$ 127 \$ *

^{*} MATERIAL IN PREFARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
739L2	FUSED SILICA TH EXP	4 IN 6 IN	李 177
742 743	TIN DEFINING FIXED POINT ALUMINA MELTING POINT MERCURY FREEZING POINT GOLD VAPOR PRESSURE CADMIUM VAPOR PRESSURE	10 G 680 G 15 CM	\$ 103 \$ 180
763-1 763-2 764-1	SILVER VAPOR PRESSURE AL MAG SUSCEPTIBILITY AL MAG SUSCEPTIBILITY PT MAG SUSCEPTIBILITY PT MAG SUSCEPTIBILITY	3X3 MM WIRE 3X3 MM	第 107第 66
765-2 765-3 766-1	PD MAG SUSCEPTIBILITY PD MAG SUSCEPTIBILITY PD MAG SUSCEPTIBILITY MNF2 MAG SUSCEPTIBILITY THERMOMETRIC FIXED PTS.	WIRE SPONGE 3X3 MM	\$ 91 \$ 110
749 772	GLASS LIQUIDUS TEMP.	5 RODS SPHERE 7 PIECES	\$ 152 \$ 189
781D2 803(A) D803(A)	CARBON STL, AOH 0.60	10 CM ROD	
808(A) 809(B)	CARBON STL, BOH 0.40	ROD ROD ROD ROD ROD	\$ 62 \$ 62 \$ 62 \$ 62 \$ 62
827 837 840 D840 D841	LA STL, CR-MO (SAE 4150) TOOL STL, CR8-MO2-W3 TOOL STL, CR2-W13-C012 TOOL STL, CR2-W13-C012 TOOL STL, W HSPD AISI T1	ROD ROD DISK	\$ 62 \$ 81 \$ 81 \$ 92 \$ 92

^{*} MATERIAL IN PREPARATION

	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
849 D849 850	SS: CR-5.5 NI-6.5 SS: CR-5.5 NI-6.5 SS: CR-3 NI-25 SS: CR-3 NI-25 ALUMINUM CAST ALLOY 356	ROD	\$ 81 \$ 92
	ALUMINUM ALLOY 6011 MOD ALUMINUM ALLOY 7075 PHOSPHOR BRONZE, CDA521	35 G 35 G 100 G	
874 875 879 880 882	CUPRO-NICKEL, CDA 706 NICKEL SILVER, CDA 762	100 G 100 G 100 G	\$ 69 \$ 69 \$ 80 \$ 80 \$ 83
890 891 892 897 898	NI-HARD, TYPE I NI-HARD, TYPE IV	150 G 150 G	\$ 96 \$ 96 \$ 96 \$ 149 \$ 149
899 900 909 910 911(A)	4 ANTICONVULSION DRUGS		
914	UREA-CLINICAL URIC ACID CREATININE CALCIUM CARBONATE BILIRUBIN	10 G	\$ 78 \$ 62 \$ 71 \$ 57 \$ 142
917 918 919 920 921	GLUCOSE-CLINICAL POTASSIUM CHLORIDE-CLIN SODIUM CHLORIDE-CLINICAL MANNITOL CORTISOL	25 G 30 G 30 G 50 G 1 G	\$ 77 \$ 73 \$ 46 \$ 92 \$ 95
922 923 924 925 926	THAM(TRIS) PH THAM HOL PH LITHIUM CARBONATE VMA-CLINICAL BOVINE SERUM ALBUMIN	25 G 35 G 30 G 1 G 5 G	\$ 74 \$ 74 \$ 84 \$ 87 \$ 260

SRM	SRM DESCRIPTION	UNIT OF ISSUE	
928 929	GLASS FILTERS-VISIBLE	SET (10) 30 G 5 G SET (3)	\$ 159 \$ 45 \$ 82 \$ *
934 935 936	QUARTZ CURVETTES CLINICAL THERMOMETER POTASSIUM DICHROMATE—UV QUININE SULFATE DIHYDRATE IRON METAL CLINICAL STD	15 G 1 G	
945 946 947	4-NITROPHENOL PLUTONIUM METAL MATRIX PLUTONIUM ISOTOPIC, 12% PLUTONIUM ISOTOPIC, 18% PLUTONIUM ISOTOPIC, 8%	0.25 G	
950(B) 951 952	PLUTONIUM METAL ASSAY URANIUM OXIDE ASSAY BORIC ACID ASSAY-ISOTOPIC BORIC ACID ASSAY-ISOTOPIC NEUT DENSITY MONITR WIRE	25 G 100 G 0.25 G	\$ 180 \$ 99
961 962 963	URANIUM METAL (ASSAY) FISS TRACK GLASS U-500PPM FISS TRACK GLASS U-50 PPM FISS TRACK GLASS U-1 PPM FISS TRACK GLASS U07PPM	SET (6) SET (6) SET (6)	\$ 77 \$ * \$ *
976	CHLORINE ISOTOPIC REF COPPER ISOTOPIC REF BROMINE ISOTOPIC REF SILVER ISOTOPIC REF CHROMIUM ISOTOPIC REF	0.25 G	事 77
980 981-3 985 987 989	MAGNESIUM ISOTOPIC REF LEAD ISOTOPIC REF (SET) POTASSIUM ASSAY—ISOTOPIC STRONTIUM ASSAY—ISOTOPIC RHENIUM ASSAY—ISOTOPIC	1 G	\$ 77 \$ 173 \$ 79 \$ 71 \$ 114
990 991 993 995 996	SILICON ASSAY-ISOTOPIC LEAD ASSAY-ISOTOPIC URANIUM-235 SOLN SPIKE URANIUM-233 SOLN SPIKE PLUTONIUM-244 SPIKE ASSAY	EA EA 15 G 10 G 1 MG	\$ 123 \$ 160 \$ 196 \$ 180 \$ 525

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
999 1001	ANGIOTENSIN I (HUMAN) KCL-PRIMARY CHEMICAL X-RAY STEP TABLET (0-4) SURFACE FLAMMABILITY GLASS SPHERES 34-120UM	60 G EA SET (4)	\$ 87 \$ 165
1006(B) 1007(A) 1008 1010(A) 1017A	SMOKE DENSITY, PLASTIC PHOTO STEP TABLET (0-4) MICRO COPY TEST CHARTS	SET (3) EA SET (5)	\$ 67 \$ 165
	UNALLOYED COPPER COPPER BASE ALLOYS SILICON STEEL	74 G ROD 50 G 25 G 5 G	\$ 71 \$ 81 \$ 81 \$ 66 \$ 64
1052(B) 1053(A) 1055(B) 1057(B) 1059(B)	METALLO-ORGANIC-V METALLO-ORGANIC-CD METALLO-ORGANIC-CO METALLO-ORGANIC-SN METALLO-ORGANIC-PB	5 G 5 G	\$ 64 \$ 64 \$ 64 \$ 64 \$ 65
1060(A) 1061(C) 1062(B) 1065(B) 1066(A)		5 G 5 G 5 G 5 G	\$ 64 \$ 62' \$ 95 \$ 64 \$ 64
1049(B) 1070(A) 1071(B) 1074(A) 1075(A)	METALLO-ORGANIC-P METALLO-ORGANIC-CA	5 G 5 G 5 G 5 G	\$ 64 \$ 64 \$ 67 \$ 64 \$ 64
1077(A) 1078(B) 1079(B) 1080(A) 1084	METALLO-ORGANIC-AG METALLO-ORGANIC-CR METALLO-ORGANIC-FE METALLO-ORGANIC-CU WEAR METALS IN OIL 100PPM	5 G 5 G 5 G 5 ML	\$ 64 \$ 63 \$ 64 \$ 64 \$ 132
1085 1086 1087 1088 1089	WEAR METALS IN OIL 300PPM UNALLOYED TI HYDROGEN UNALLOYED TI HYDROGEN UNALLOYED TI HYDROGEN GASOMETRIC SET, 1095-99	85 ML 10 G 10 G 10 G 5 RODS	\$ 162 \$ 60 \$ 60 \$ 60 \$ 114

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
1090 1092 1093 1094 1102	STEEL (VAC MELT) OXYGEN STEEL (VALVE) OXYGEN	ROD ROD	\$ 99 \$ 99 \$ 96 \$ 99 \$ 114
1103 C1104 1106 C1106 1107	BRASS FREE-CUT B CHL CST BRASS NAVAL A WRGHT BRASS NAVAL A CHL CST		\$ 114 \$ 114 \$ 114 \$ 114 \$ 114
C1107 1108 C1108 1109 C1109	BRASS NAVAL C WRGHT BRASS NAVAL C CHL CST BRASS RED A WRGHT	DISK	\$ 114 \$ 114 \$ 114 \$ 114 \$ 114
1110 C1110 1111 C1111 1112		DISK DISK DISK DISK DISK	\$ 114 \$ 114 \$ 114 \$ 114 \$ 114
C1112 1113 C1113 1114 C1114	GILDING METAL B WRGHT	DISK DISK DISK	\$ 114 \$ 114 \$ 114 \$ 114 \$ 114
1116	BRONZE CML. A CHL CST	DISK	\$ 114 \$ 1.14 \$ 114 \$ 114 \$ 114
C1117 1118 C1118 1119 C1119	BRONZE CML. C CHL CST BRASS AL A WRGHT BRASS AL A CHL CST BRASS AL B WRGHT BRASS AL B CHL CST	DISK DISK DISK DISK DISK	\$ 114 \$ 114 \$ 114 \$ 114 \$ 114
1122 C1122 C1123 1131 1132	BE-CU, CABRA 25-72, WRGHT BE-CU, CABRA 25-72, CHL C BE-CU, CABRA 10-75, CHL C SOLDER, PB-60 SN-40 BEARING MTL, PB-BASE	DISK	\$ 114 \$ 114 \$ 114 \$ 92 \$ 83

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
1104	STL HI SI SI-2.9 AL-0.3 STL HI SI SI-3.1 AL-0.003 STL RESUL S-0.2, SAE 1112 WHITE CAST IRON CAST STEEL 1	DISK DISK DISK DISK DISK	\$ 92 \$ 84 \$ 83 \$ 104 \$ 104
1144(A) 1145	CAST STEEL 2 IRON BLAST FURNACE 1 IRON BLAST FURNACE 2 WHITE CAST IRON WHITE CAST IRON		\$ 104 \$ 114 \$ 114 \$ 94 \$ 99
C1151 C1152 C1153	WHITE CAST IRON SS: CR-23 NI-7 SS: CR-18 NI-11 SS: CR-17 NI-9 SS: CR-19 NI-13	DISK DISK DISK DISK DISK	\$ 94 \$ 106 \$ 106 \$ 106 \$ 106
1157 1158 1159	TUUL STEEL, AISI M2	DISK DISK	\$ 83
1171	STL LEADED, PB-0.3 ONLY SS: SAE 303 SE SS: AISI 321 SS: AISI 348 NI-CR-MO STEEL	DISK DISK	\$ 81 \$ 64 \$ 84 \$ 84 \$ 120
01173 1197	CAST STEEL 3 HI-TEMP ALLOY M308 INCOLOY 901 & HASTELLOY X	DISK DISK	\$ 101
1207-2 C1221 1222 1224 1225	HI-TEMP, WASPALOY NO. 2 CARBON STEEL LA STL, AISI 8640 STEEL, AISI 1078 LA STL, AISI 4130	DISK DISK DISK DISK DISK	\$ 101 \$ 77 \$ 75 \$ 77 \$ 138
1226 1227 1228 1234 1235	HY 130 ALLOY STEEL CARBON STEEL, BOH 1.0C LA STL ZIRCONIUM A (FOR HF) ZIRCONIUM B (FOR HF)	DISK DISK DISK DISK DISK	\$ 86 \$ 112 \$ 117 \$ 364 \$ 364

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
1236 1237 1238 1239 C1251	ZIRCONIUM C (FOR HF) ZIRCALOY-4 D (FOR HF) ZIRCALOY-4 E (FOR HF) ZIRCALOY-4 F (FOR HF) PHOS. COPPER CU VIII		
	PHOS. COPPER CU IX PHOS. COPPER CU X CA IN STEEL ALUMINUM ALLOY (4011)	DISK DISK DISK	
1261(A) 1262(A) 1263(A) 1264(A) 1265(A)	LA STL, AISI 4340 LA STL, AISI 94B17 LA STL, CR-V MOD LA STL, HI C MOD ELECTROLYTIC IRON	DISK DISK DISK DISK DISK	\$ 96 \$ 96 \$ 95 \$ 96 \$ 96
1270 1275	SS: AISI 446 LA STL, AISI 1526 LA STL, CR-2.3 MO-1 A336 CUPRO-NICKEL CDA 706 CUPRO-NICKEL CDA 715	DISK	\$ 66 \$ 113 \$ 112 \$ 88 \$ 88
C1285 1286 C1287 C1288 C1289	A242 ALLOY STEEL HY 80 ALLOY STEEL HA STL, ACI HK HA STL, ACI CN-7M HA STL, ACI CA LNM	DISK DISK DISK DISK DISK	\$ 101 \$ 86 \$ 103 \$ 103 \$ 103
1362(A)	CU & CR COATING ON STEEL CU & CR COATING ON STEEL	SET (4) SET (4) SET (4) SET (4) SET (4)	\$ 140 \$ 140 \$ 140 \$ 140 \$ 140
1364(A) 1365(A) 1366(A) 1367(A) 1379	CU & CR COATING ON STEEL NICKEL COATING ON STEEL NICKEL COATING ON STEEL NICKEL COATING ON BRASS ULTRA THIN GOLD ON NICKEL	SET (4) SET (4) SET (4)	\$ 141 \$ 136 \$ 140 \$ 140 \$ 150
	ULTRA THIN GOLD ON NICKEL GOLD COATING ON ALLOY GOLD COATING ON NICKEL THERMAL RESISTANCE FIBER ST STEEL TH COND-RESIST	EA SET (4) SET (4) EA 2 IN	\$ 150 \$ 321 \$ 311 \$ 357 \$ 130

	SRM DESCRIPTION	UNIT OF ISSUE	FRICE
1461 1462 1463 1464	ST STEEL TH COND-RESIST ST STEEL TH COND-RESIST IRON TH COND-RESIST IRON TH COND-RESIST TUNGSTEN TH COND-RESIST	2 IN 2 IN 2 IN 2 IN	\$ 126
1466 1467 1468 1470 1475	TUNGSTEN TH COND-RESIST TUNGSTEN TH COND-RESIST TUNGSTEN TH COND-RESIST GAS PERMEATION POLY FILM POLYETHYLENE 52K MOL WT	2 IN 2 IN SET (15)	\$ 169 \$ 178 \$ 153
1476 1478 1479 1482 1483	POLYSTYRENE 37K MOL WT	2 G 2 G 1 G	\$ 129 \$ 126 \$ 114 \$ 162 \$ 162
1490 1495	CYCLOHEXANE DIELECTRIC	250 ML 34 KG 400 ML	\$ 227 \$ 258 \$ 202
1513 1516 1517 1519 1521	FEP COPOLY PERMITTIVITY FEP COPOLY PERMITTIVITY FEP COPOLY PERMITTIVITY	EA EA EA	\$ 302 \$ 302 \$ 302
1523 1541	SI RESISTIVITY 25-75-180 SI RESISTIVITY 0.01-1 IRON MOSSBAUER OYSTER TISSUE WHEAT FLOUR	SET (2) EA	
1568 1569 1572 1573 1575	BREWERS YEAST CITRUS LEAVES TOMATO LEAVES	80 G 50 G 70 G 70 G 70 G	\$ 102 \$ 86 \$ 98 \$ 100 \$ 100
1579 1580 1581	BOVINE LIVER PDR LEAD-BASED PAINT SHALE OIL PCB'S IN OIL PETROLEUM CRUDE OIL	50 G 35 G 5X2 ML SET 5X2 ML	\$ 113 \$ 60 \$ 183 \$ 136 \$ 178

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
	STABILIZED WINE TRIPALMITIN 2 ANTICONVULSANT DRUGS MAGNETIC TAPE-CASSETTE SULFUR IN FUEL OIL 0.7%		
1620(A)	SULFUR IN FUEL OIL 5% SULFUR IN FUEL OIL 1% SULFUR IN FUEL OIL 2% SULFUR IN FUEL OIL 0.3% SULFUR IN DIST. OIL 0.2%	100 ML	\$ 101
1621(B)		100 ML	\$ 101
1622(B)		100 ML	\$ 101
1623(A)		100 ML	\$ 101
1625	SO2 PERMEATION TUBE-10CM	EA	\$ *
1626	SO2 PERMEATION TUBE-5CM	EA	\$ 166
1627	SO2 PERMEATION TUBE-2CM	EA	\$ 163
1630	MERCURY IN COAL	50 G	\$ 67
1632(A)	TRACE ELEMENTS IN COAL	75 G	\$ 106
1633(A)	COAL FLY ASH	75 G	\$ 121
1634(A)	TRACE ELEMENTS/FUEL OIL	100 ML	\$ 150
1635	TRACE ELEMENTS IN COAL	75 G	\$ 106
1636(A)	LEAD IN REFERENCE FUEL	SET (12)	\$ 108
1637(A)	LEAD IN REFERENCE FUEL	SET (12)	\$ 108
1638(A)	LEAD IN REFERENCE FUEL	SET (12)	\$ 108
1639	HALOCARBONS FOR H20	SET (5)	\$ 165
1641(B)	MERCURY IN WATER-CONCENTR	6X20 ML	\$ 124
1642(B)	MERCURY IN WATER-TRACE	950 ML	\$ 151
1643(B)	TRACE ELEMENTS IN WATER	950 ML	\$ *
1644	PAH GENERATOR COLUMNS	SET (3)	\$ 188
1645	RIVER SEDIMENT	70 G	\$ 130
1646	ESTUARINE SEDIMENT	75 G	\$ 112
1647	PRIORITY POLLUTANT PAH'S	6 ML	\$ 114
1648	URBAN. PARTICULATE MATTER	2 G	\$ 123
1649	URBAN DUST/ORGANICS	10 G	\$ 157
1651	ZR BA CHROMATE HT SOURCE	50 G	\$ 84
1652	ZR BA CHROMATE HT SOURCE	50 G	\$ 84
1653	ZR BA CHROMATE HT SOURCE	50 G	\$ 84
1654	QUARTZ HEAT OF SOLUTION	25 G	\$ 250
1655	KCL SOLUTION CALORIMETRY METHANE IN AIR 1 PPM METHANE IN AIR 10 PPM METHANE/PROPANE IN AIR SO2 IN N2 500 PPM	30 G	\$ 138
1658(A)		CYL	\$ 519
1659(A)		CYL	\$ 519
1660(A)		CYL	\$ 519
1661(A)		CYL	\$ 519

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	
1663(A) 1664(A) 1665(B)	302 IN N2 1000 PPM S02 IN N2 1500 PPM S02 IN N2 2000 PPM PROPANE IN AIR 3 PPM PROPANE IN AIR 10 PPM	CYL CYL CYL CYL	\$ 508 \$ 519 \$ 519 \$ 519
1668(B) 1669(B) 1670	PROPANE IN AIR 50 PPM PROPANE IN AIR 100 PPM PROPANE IN AIR 500 PPM CO2 IN AIR 335 PPM CO2 IN AIR 342 PPM	CYL CYL CYL	\$ 519 \$ 519
1674(B)		CYL CYL CYL	\$ 481 \$ 481 \$ 481
1679(C) 1680(B) 1681(B) 1683(B) 1684(B)	CO IN N2 500 PPM CO IN N2 1000 PPM NO IN N2 50 PPM	CYL CYL CYL	\$ 481
1685(B) 1686(B) 1687(B) 1690 1693	NO IN N2 500 PPM NO IN N2 1000 PPM 1 UM LATEX SPHERES	CYL CYL	\$ 604 \$ 604 \$ 604 \$ 201 \$ *
1696 1805	SO2 IN N2 100 PPM SO2 IN N2 3500 PPM BENZENE IN N2, 0.25 PPM BENZENE IN N2, 10 PPM TETRACHLOROETHYLENE IN N2	CYL CYL	\$ * \$ 519 \$ 658 \$ 658 \$ 683
1809 1810 1815 1816 1817	TETRACHLOROETHYLENE IN N2 LINERBOARD N-HEPTANE OCTANE SCALE ISOOCTANE OCTANE SCALE LUBE OIL OXID. TEST KIT	CYL PKG 1 LITER 1 LITER EACH	\$ 483 \$ 42 \$ * \$ * \$ 133
1820 1823 1830 1831 1840	GLASS REFRACTIVE INDEX LIQUIDS REFRACTIVE INDEX SODA LIME FLOAT GLASS COM SODA LIME SHEET GLASS COM 100-G SILICON DENSITY STD	3 PLATLET 3 PLATLET	\$ 76 \$ 71 \$ 91 \$ 91 \$ 441

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
1841 1850 1851 1857 1860	200-G SILICON DENSITY STD NDE PENETRANT TEST BRIGHT NDE PENETRANT TEST MATTE TOOL STEEL ABRASIVE WEAR AL EDDY CURRENT 60% IACS	BLOCK BLOCK TWO BLOCK	\$ 131 \$ 131
1861 1862 1863 1864 1871	AL EDDY CURRENT 47% IACS AL EDDY CURRENT 41% IACS AL EDDY CURRENT 30% IACS CU EDDY CURRENT 100% IACS GLASS MICROPROBE PB-SI	BLOCK	\$ 293 \$ * \$ * \$ *
1872 1873 1874 1875 1876		SET (3) SET (3) SET (3)	\$ * * \$ * *
1878 1880 1881 1890 1893	RESPIRABLE ALPHA QUARTZ PORTLAND CEMENT, BLACK PORTLAND CEMENT, WHITE 316L SS PIT CORROSION STD CU MICROHARDNESS-KNOOP	3X5 G 3X5 G 4 RODS	\$ 65
1894 1895 1896 1901 1911	CENTERLINE DRAWINGS-OCR-B	EA EA SET	\$ 400 \$ 400 \$ 400 \$ 789 \$ 260
1968 1969 1970	PT THERMOCOUPLE WIRE GALLIUM MELTING PT 29 C RUBIDIUM TRIPLE PT 39 C SUCCINONITRILE MELT 58 C FIRST SURFACE AL MIRROR	CELL	\$ 328 \$ 280 \$ * \$ *
2009 2010 2013 2015 2016	DIDYMIUM FILTER CUVETTE DIDYMIUM FILTER 2X2 DIDYMIUM FILTER CUVETTE OPAL GLASS REFLECTANCE SM OPAL GLASS REFLECTANCE LG	EA EA EA EA	\$ * \$ 218 \$ 551 \$ 349 \$ 349
2019(B) 2020 2021 2022 2023	WHITE TILE REFLECTANCE LG WHITE TILE REFLECTANCE SM BLK ENAMEL REFLECTANCE LG BLK ENAMEL REFLECTANCE SM AL SECOND SURFACE MIRROR	TILE TILE TILE TILE EA	\$ 385 \$ 385 \$ 385 \$ 385 \$ 509

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
2024 2025 2030 2031 2032	AL MIRROR WITH WEDGE GLASS FILTER (30%) METAL ON QUARTZ FILTER	EA EA	\$ 509 \$ 603 \$ 277
2033 2061 2069 2083 2106	REFLECTANCE STEP TABLET SEM PERFORMANCE STANDARD SOCKETED BALL BAR	EA EA EA	\$ * \$ 137 \$ 90 \$2000 \$ 31
2107 2121 2122 2123 2124		SET (4) SET (4) SET (4)	\$ 160 \$ * \$ 160
		2 G 2 G	\$ 65 \$ 65 \$ 73 \$ 65 \$ 78
2186II 2191 2192 2201 2202	DISOD HYDRO PHOSPHATE PD SODIUM BICARBONATE PD SODIUM CARBONATE PD SODIUM CHLORIDE PNA PCL POTASSIUM CHLORIDE PK PCL	30 G 125 G	\$ 78 \$ 78 \$ * \$ 66 \$ 66
2308(A) 2524	POTASSIUM FLUORIDE PF GOLD COATING ON LAMINATE 111P-TYPE SI SPRD RESIST 111N-TYPE SI SPRD RESIST 100P-TYPE SI SPRD RESIST	SET (4) SET	\$ 108 \$ 336 \$1000 \$1000 \$ *
2529 2601 2612(A) 2613(A) 2614(A)	100N-TYPE SI SPRD RESIST RUBY EPR ABSORPTION CO IN AIR 10 PPM CO IN AIR 20 PPM CO IN AIR 45 PPM	SET SET (2) CYL CYL CYL	\$ * \$ 198 \$ 481 \$ 481 \$ 481
2619(A) 2620(A) 2621(A) 2622(A) 2623(A)	CO2 IN N2 0.5 MOL % CO2 IN N2 1.0 MOL % CO2 IN N2 1.5 MOL % CO2 IN N2 2.0 MOL % CO2 IN N2 2.5 MOL %	CYL CYL CYL CYL CYL	\$ 481 \$ 481 \$ 481 \$ 481 \$ 481

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
2624(A) 2625(A) 2626(A) 2627 2628	CO2 IN N2 3.0 MOL % CO2 IN N2 3.5 MOL % CO2 IN N2 4.0 MOL % NO IN N2 5 PPM NO IN N2 10 PPM	CYL CYL CYL	
2629 2630 2631 2632 2633		CYL CYL CYL CYL	\$ 679 \$ 604 \$ 604 \$ 473 \$ 473
2634 2635 2636 2639 2640	CO2 IN N2 800 PPM CO IN N2 25 PPM CO IN N2 250 PPM CO IN N2 1 MOL % CO IN N2 2 MOL %	CYL CYL CYL CYL	\$ 473 \$ 473 \$ 473 \$ 473 \$ 473
2642	CO IN N2 4 MOL % CO IN N2 8 MOL % PROPANE IN N2 100 PPM PROPANE IN N2 250 PPM PROPANE IN N2 500 PPM	CYL CYL CYL CYL	\$ 473 \$ 473 \$ 473 \$ 473 \$ 473
2646 2647 2648 2649 2650	PROPANE IN N2 1000 PPM PROPANE IN N2 2500 PPM PROPANE IN N2 5000 PPM PROPANE IN N2 1 MOL % PROPANE IN N2 2 MOL %	CYL CYL CYL	\$ 473 \$ 473 \$ 473 \$ 473 \$ 473
2453	PROPANE AND OXYGEN IN N2 PROPANE AND OXYGEN IN N2 NO2 IN AIR, .025% NO2 IN AIR, .05% NO2 IN AIR, 0.1%	CYL	\$ 473 \$ 473 \$ 604 \$ 604 \$ 604
2656 2657 2658 2659 2670	NO2 IN AIR, 0.25% O2 IN N2 2 MOL % O2 IN N2 10 MOL % O2 IN N2 20 MOL % FREEZE DRIED URINE-T.E.	CYL CYL CYL CYL SET	\$ 404 \$ 481 \$ 481 \$ 481 \$ 180
2672(A) 2673 2674	FREEZE DRIED URINE-FLUORI FREEZE DRIED URINE-MERCUR SULFATE NITRATE ON FILTER LEAD ON FILTER MEDIA METALS ON FILTER MEDIA	SET (2) SET (2) SET (2)	\$ 124 \$ 122 \$ 97 \$ 95 \$ 116

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
2679(A) 2682 2683 2684	QUARTZ ON FILTER MEDIA SULFUR IN COALS SULFUR IN COALS SULFUR IN COALS SULFUR IN COALS		\$ * \$ 82 \$ 82 \$ 82 \$ 82
3216 4200(B)	MAGNETIC TAPE-REEL FLEXIBLE DISK CARTRIDGE MAGNETIC TAPE-CARTRIDGE CESIUM-137 NIOBIUM-94	I− Δ	\$ 972 \$ 437 \$ 382 \$ 106 \$ 241
4204 4205 4206(C)	COBALT-60 CHROMIUM-51 PT. SOURCE THORIUM-228 GAMMA-RAY PT. THORIUM/THALLIUM-228 CESIUM-137-BARIUM-137M	EA EA	\$ 155 \$ 138 \$ 162 \$ 266 \$ 106
4222(B) 4226	CARBON-14 (HEXADECANE)	EA EA 3 G 4.1 G 4.6 G	
4235 4240 4241(B)	CESIUM 137 BURN-UP KRYPTON-85[GAMMA-RAY] BISMUTH 207 BARIUM-133 POINT SOURCE CESIUM-134 SOLN	3 CM EA EA	\$ 390 \$ 165 \$ ** \$ 313 \$ 291
4260(C) 4264(B) 4265	BARIUM-133 SOLN IRON-55 PHOTON EMISSION TIN-121M PT. GAMMA RAY IODINE-125 PHOTON VANADIUM-49 PT. SOURCE	EA EA	\$ 323 \$ 274 \$ 274 \$ ** \$ 366
4276(B) 4288 4302	MIXED RADIONUCLIDE MIXED RADIONUCLIDE TECHNETIUM-99 ARGON-39 XENON-133 GAS	EA 5 ML 5 ML 10 CM3 32.5 CM3	\$ 367 \$ 367 \$ 305 \$ 181 \$ 382
4308(C) 4309(E) 4309(F)	KRYPTON-85 GAS KRYPTON-85 GAS XENON-127 GAS XENON-127 GAS MIXED GASEOUS RADIOACT	32.5 CM3 32.5 CM3 32.5 CM3 32.5 CM3 EA	\$ 166 \$ 275 \$ 346 \$ 340 \$ 997

^{*} MATERIAL IN PREPARATION

^{**} PRICE AND AVAILABILITY ON REQUEST: (301)921-2665

SRM	SRM DESCRIPTION	UNIT OF ISSUE	FRICE
4332 4333 4334(B) 4338 4350(B)	PLUTONIUM-242 SOLN PLUTONIUM-240 SOLN.		\$ ** \$ ** \$ 129 \$ 412 \$ 139
4351 4352 4353 4355 4361	HUMAN LUNG HUMAN LIVER ROCKY FLATS SOIL #1 PERUVIAN SOIL HYDROGEN-3 SOLN.	45 G 45 G 85 G 75 G 490 G	\$ 242 \$ 221 \$ 139 \$ 136 \$ 189
4400L(F) 4400H(F) 4401H(I)	EUROPIUM-152 CHROMIUM-51 CHROMIUM-51 IODINE-131 SOLN IODINE-131 SOLN	EA 5 G 5 G 5 G	\$ 182 \$ ** \$ ** \$ ** \$ **
4402H(C) 4402L(C) 4403H(B)	TIN-113-INDIUM-113M TIN-113-INDIUM-113M S TIN-L33-INDIUM-113M S STRONTIUM-85 SOLN STRONTIUM-85 SOLN	OLN 5 G	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
4404L(F) 4405H(B) 4405L(B)	THALLIUM-201 SOLN. THALLIUM-201 SOLN. GOLD-198 SOLN GOLD-198 SOLN PHOSPHORUS-32 SOLN	5 G 5 G 5 G 5 G	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
4407H(H) 4407L(H) 4408M	PHOSPHORUS-32 SOLN IODINE-125 SOLN IODINE-125 SOLN COBALT-57 SOLN COBALT-57 SOLN	5	\$ ** \$ ** \$ ** \$ **
4409H(D) 4409L(D) 4410H(I)	COBALT-57 SOLN SELENIUM-75 SOLN SELENIUM-75 SOLN TECHNETIUM-99M SOLN IRON-59 SOLN	5	\$ ** \$ ** \$ ** \$ ** \$ **
4412H(H)	IRON-59 SOLN MOLYBDENUM-99 SOLN MOLYBDENUM-99 SOLN MERCURY-197 SOLN MERCURY-197 SOLN	5 G 5 G 5 G 5	\$ \times

** PRICE AND AVAILABILITY ON REQUEST: (301)921-2665

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE
4414L(C) 4415H(G) 4415L(G)	IODINE-123 HIGH SOLN IODINE-123 LOW LEVEL SOLN XENON-133 GAS XENON-133 GAS GALLIUM-67 SOLN	5 G 5 G EA EA 5 G	\$ ** \$ ** \$ ** \$ **
4417H(C) 4417L(C) 4418H	GALLIUM-67 SOLN INDIUM-111 SOLN INDIUM-111 SOLN MERCURY-203 SOLN MERCURY-203 SOLN	5	\$ ** \$ ** \$ ** \$ **
4419L(B) 4420H 4420L	YTTRIUM-169 SOLN YTTRIUM-169 SOLN LEAD-203 SOLN SRM/S LEAD-203 SOLN SRM/S GOLD-195 ŞOLN	5 G 5 G 5 G 5 G	\$ ** \$ ** \$ ** \$ **
4422H 4422L 4904(F)		5 G 5 G 5 G EA EA	\$ ** \$ ** \$ ** \$ 327 \$ 155
4919(E) 4922(E) 4926(C)	SODIUM-22 SOLN	3 G 5 G	\$ 220 \$ 303 \$ ** \$ 140 \$ **
4943 4945-(D) 4947	KRYPTON-85 BETA GAS CHLORINE-36 (BETA-) SOLN STRONTIUM-89 (BETA-) SOLN HYDROGEN-3 (TOLUENE) IODINE-129 SOLN	3 ML 5 ML	\$ 165 \$ ** \$ 311 \$ 86 \$ 339
4951(C) 4952(B) 4954 4957 4958	RADIUM-226 SOLN BLANK SOLN FOR RADON ANAL RA GAMMA-RAY SOLN 0.2 MG RA GAMMA-RAY SOLN 0.5 MG RA GAMMA-RAY SOLN 1.0 MG	5.1 G 5.1 G	\$ 105 \$ 123 \$ 158 \$ 158 \$ 156
4959 4960 4961 4962 4963	RA GAMMA-RAY SOLN 2.0 MG RA GAMMA-RAY SOLN 5.0 MG RA GAMMA-RAY SOLN 10.0 MG RA GAMMA-RAY SOLN 20.0 MG RA GAMMA-RAY SOLN 50.0 MG	5.1 G 5.1 G 5.1 G	\$ 158 \$ 141 \$ 156 \$ 158 \$ 158

** PRICE AND AVAILABILITY ON REQUEST: (301)921-2665

SRM	SRM DESCRIPTION		
6250 8000	OXALIC ACID C-14 MANGANESE-54 POINT SOURCE	EA EA EA SET (10)	\$ 179 \$ 192 \$ 939 \$ 166
8002 8003 8004 8005 8006	NPL GM SILICA SUR AREA	10 G 10 G 50 G	\$ 181 \$ * \$ 245
	NPL GM ALUMINA SUR AREA	50 G EA EA	\$ 245
8531 9900 9910	VANADIUM IN CRUDE OIL GLASS FIBER-MICROANALYSIS SPECIAL NUCLEAR CONTAINER SPECIAL NUCL MAT PKG SHIP ICTA POLYSTYRENE DTA	SET SERV. EACH	\$ \$ 232
GM758 GM759 GM760	ICTA LOW TEMP SET DTA ICTA MOD TEMP SET DTA ICTA MID TEMP SET DTA ICTA HIGH TEMP SET DTA ICTA THERMOGRAIMETRY SET	SET (5) SET (5) SET (5)	\$ 122 \$ 122 \$ 122
RM-1R RM5 RM50	AL CUBE ULTRA PURITY AL ROD ULTRA PURITY CU LOW TEMP HEAT CAPACTY ALBACORE TUNA HOMO. RIVER SEDIMENT	EA EA	\$ 139 \$ 87 \$ 70 \$ 81 \$ 101
U-010 U-015	DEPLETED U308, U-235 DEPLETED U308, U-235 ENRICHED U308, U-235 ENRICHED U308, U-235 ENRICHED U308, U-235	1 G 1 G 1 G 1 G 1 G	\$ 185 \$ * \$ 183 \$ 183 \$ *
U-030(A) U-050 U-100 U-150 U-200		1 G 1 G 1 G 1 G 1 G	\$ * \$ 184 \$ 185 \$ 186 \$ 186

^{*} MATERIAL IN PREPARATION

SRM	SRM DESCRIPTION	UNIT OF ISSUE	PRICE	1
U-350	ENRICHED U308, U-235	1 G	\$ 189	
U-500	ENRICHED U308, U-235	1. G	\$ 192	
U-750	ENRICHED U308, U-235	1 G	\$ 196	
U-800	ENRICHED U308, U-235	1 G	\$ 197	
U-850	ENRICHED U308, U-235	1 G	\$ 198	
U-900	ENRICHED U308, U-235	1 G	\$ 199	
U-930	ENRICHED U308, U-235	1 G	\$ 200	
U-970	ENRICHED U308, U-235	1 G	\$ 196	